POPULATION ESTIMATES	5	LON	G-TERM CARE		LOCAL HEAL	TH DEPARTM	IENTS
 Total 2001 Population		 Community Opti MA Waiver Prog	ons and rams				 Per 10,000
Population per square mile County ranking in state (í	54 1-72) 33	 COP MA Waiver *		 Costs \$44.141	Staffing - FTE Total staff Administrative	Number 6 1	Population 3.2 0.5
Age Female Male 0-14 1,820 1,840 15-19 670 760 20-24 370 440	Total 3,670 1,440 810	MA Waiver * CIP1A CIP1B CIP2 COP-W CSLA	3 39 3	\$189,466 \$930,366 \$38,088	Staffing - FTE Total staff Administrative Professional staff Technical/Paraprof Support staff	. 3 2 .	1.6 1.0 .
25-29	900 1,100 1,450 1,600	COP-W CSLA Brain Injury Total COP/Wvrs	34	\$237,537 \$0 \$0	Funding Total Local Taxes	\$411,091 \$221,175	Per capita \$21.45 \$11.54
45-54	2,720 1,940			waiver costs	LICENSED E	STABLISHME	NTS
65-74	1,780 1,290 540 19,240	were paid as using COP fun not included	local match	/overmatch mount is	Type Bed & Breakfast Camps Hotels, Motels Tourist Rooming	Capacity 37 692 463	Facilities 10 13 45
Age Female Male 0-17	Total 4,650 6,320	* Waiver cost include fede	ral funding Clients	;. Costs	Tourist Rooming Pools Restaurants Vending	310	92 11 38 0
18-44 3,050 3,260 45-64 2,320 2,340 65+ 2,100 1,520 Total 9,770 9,480	4,660 3,610 19,240	Eligible and Waiting			WIC PAR	TICIDANTS	
Poverty Estimates for 2000	C T ±/)	(Family Care ii	ot provided	The County)	WIC FAR	TICIPANIS	İ
Estimate ((All ages 1,329 7.0% Ages 0-17 425 9.2%	112 (8%) 55 (13%)	Note: Eligible will be phas Waivers as a	and waitin ed into the vailable.	g clients COP and MA 	Pregnant/Postpartu Infants Children, age 1-4 Total		Number 133 156 232 521
EMPLOYMENT					CANCER	INCIDENCE	
Average wage for jobs covered by unemployment compensation Note: based on place of work	\$24,396 Annual	Home Health Ag Patients Patients per	encies 10,000 pop.	559 290	Primary Site Breast		1999 Number 14
Labor Force Estimates Civilian Labor Force Number employed Number unemployed Unemployment rate	Average	Nursing Homes Licensed beds Occupancy rat Residents on Residents age per 1,000 po	e Dec.31 65 or olde pulation	3 233 82.7% 201 r 54	Cervical Colorectal	Lung	3 17

			NATA	LITY				
TOTAL LIVE BIRTHS		230				Marital Status		
I TOTAL LIVE DIKING		230	First	97	36		Births	Parcent
Crudo Livo Pirth Pato		11.9	Cocond	60	30	of Mother Married	184	
Crude Live Birth Rate	:	11.9	Second The decad	43	30	narrieu Naturanian		
General Fertility Rat	.e	65.3	Inira	42	18	Not married	46	20
!			Firth Order First Second Third Fourth or higher Unknown	3/	16	Unknown	0	Θ
Live births with repo	orted		Unknown	Θ	Θ			
congenital anomalies		1 0.4%				Education		
			First Prenatal Visit				Births	
Delivery Type	Births	Percent	Visit	Births	Percent	Elementary or les	ss 32	14
Vaginal after			1st trimester	167	73	Some high school	19	8
i previous cesarean	3	1	1st trimester 2nd trimester	47	20	High school	77	33
Forceps	2	1	3rd trimester	13	6	Some college	51	22
l Other vaginal	185	80	No visits	1	< 5	College graduate	50	22
I Primary casaraan	70	9	1st trimester 2nd trimester 3rd trimester No visits Unknown	2	1	Some high school High school Some college College graduate Unknown	1	<.5
Penest cesarean	20	٥	UIKIOWII	2	1	OHKHOWH	т.	`. J
1 Other or unknown	20	9	Number of Dranatal			Cmaking Ctatus		
Vaginal after previous cesarean Forceps Other vaginal Primary cesarean Repeat cesarean Other or unknown	0	U	Number of Prenatal	Dinths	Damaant	Smoking Status	Dinthe	Dansant
1			Care visits	BILLUZ	Percent	of Mother	BILLUS	rercent
Birthweight	Birtns	rercent	NO VISILS	T	۲.5	SIIIOKEI	סכ	T.0
<1,500 gm	2	0.9	1-4	8	3 24	Nonsmoker Unknown	194	84
1,500-2,499 gm	5	2.2	5 - 9	55	24	Unknown	0	0
2,500+ gm	223	97.0	10-12	77	33			
<pre></pre>	0	0	13+	89	39			
İ			Unknown	Θ	0			
					 Trimest	er of First Prenatal	 Visit	
 					 Trimest imester	er of First Prenatal	 Visit Other/	
 	Rirths [Parcent			Trimest imester	er of First Prenatal 2nd Trimester Births Percent	Visit Other/	 Unknown Percent
 	Rirths [Parcent			Trimest imester Percent	er of First Prenatal 2nd Trimester Births Percent	Visit Other/ Births	Unknown Percent
 Race of Mother White	Births F	Percent 99	Low Birthweight (under 2,500 gm) Births Percent 7 3.1	1st Tri Births 166	Trimest imester Percent 73	er of First Prenatal 2nd Trimester Births Percent 45 20	Visit Other/ Births 16	 Unknown Percent 7
Race of Mother White Black	Births F	Percent 99	Low Birthweight (under 2,500 gm) Births Percent 7 3.1	1st Tri Births 166	Trimest imester Percent 73	er of First Prenatal 2nd Trimester Births Percent 45 20	Visit Other/ Births 16	Unknown Percent 7
Race of Mother White Black Other	Births F 227 0 3	Percent 99 0 1		1st Tri Births 166	Trimest imester Percent 73	er of First Prenatal 2nd Trimester Births Percent 45 20	Visit Other/ Births 16	Unknown Percent 7
Race of Mother White Black	Births F	Percent 99	Low Birthweight (under 2,500 gm) Births Percent 7 3.1	1st Tri Births 166	Trimest imester Percent 73	er of First Prenatal 2nd Trimester Births Percent 45 20	Visit Other/ Births 16 .	 Unknown Percent 7
Race of Mother White Black Other	Births F 227 0 3 0	Percent 99 0 1	Low Birthweight (under 2,500 gm) Births Percent 7 3.1	1st Tri Births 166 *	Trimest imester Percent 73	er of First Prenatal 2nd Trimester Births Percent 45 20 	Visit Other/ Births 16 .	· ·
Race of Mother White Black Other	Births F 227 0 3 0	Percent 99 0 1	Low Birthweight (under 2,500 gm) Births Percent 7 3.1	1st Tri Births 166 *	Trimest imester Percent 73	er of First Prenatal 2nd Trimester Births Percent 45 20 	Visit Other/ Births 16 .	· ·
Race of Mother White Black Other Unknown	Births F 227 0 3 0	Percent 99 0 1	Low Birthweight (under 2,500 gm) Births Percent 7 3.1	1st Tri Births 166 *	Trimest imester Percent 73	er of First Prenatal 2nd Trimester Births Percent 45 20 	Visit Other/ Births 16 .	· ·
Race of Mother White Black Other Unknown	Births F 227 0 3 0 F Births	Percent 99 0 1 0	Low Birthweight (under 2,500 gm) Births Percent 7 3.1	1st Tri Births 166 *	Trimest imester Percent 73	er of First Prenatal 2nd Trimester Births Percent 45 20 	Visit Other/ Births 16 .	· ·
Race of Mother White Black Other Unknown Age of Mother <15	Births F 227 0 3 0 Fe Births	Percent 99 0 1 0 ertility Rate	Low Birthweight (under 2,500 gm) Births Percent 7 3.1	1st Tri Births 166 .*	Trimest imester Percent 73	er of First Prenatal 2nd Trimester Births Percent 45 20 * er of First Prenatal 2nd Trimester Births Percent	Visit Other/ Births 16 . * Visit Other/ Births	 Unknown Percent
Race of Mother White Black Other Unknown Age of Mother <15 15-17	Births Fe Births	Percent 99 0 1 0 ertility Rate	Low Birthweight (under 2,500 gm) Births Percent 7 3.1 Low Birthweight (under 2,500 gm) Births Percent	1st Tri Births 166 * Births	Trimest imester Percent 73	er of First Prenatal 2nd Trimester Births Percent 45 20 * er of First Prenatal 2nd Trimester Births Percent	Visit Other/ Births 16 . * Visit Other/ Births . 2	 Unknown Percent 25
Race of Mother White Black Other Unknown	Births F 227 0 3 0 Births 0 8 10	Percent 99 0 1 0 ertility Rate 17 47	Low Birthweight (under 2,500 gm) Births Percent 7 3.1 Low Birthweight (under 2,500 gm) Births Percent	1st Tri Births 166 *	Trimest imester Percent 73 Trimest imester Percent . 25 70	er of First Prenatal 2nd Trimester Births Percent 45 20 er of First Prenatal 2nd Trimester Births Percent 4 50 2 20	Visit Other/ Births 16 . * Visit Other/ Births . 2	 Unknown Percent 25 10
Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19 20-24	Births F 227 0 3 0 	Percent 99 0 1 0 ertility Rate 17 47 169	Low Birthweight (under 2,500 gm) Births Percent 7 3.1 Low Birthweight (under 2,500 gm) Births Percent	1st Tri Births 166 *	Trimest imester Percent 73 Trimest imester Percent . 25 70	er of First Prenatal 2nd Trimester Births Percent 45 20 er of First Prenatal 2nd Trimester Births Percent 4 50 2 20	Visit Other/ Births 16 . * Visit Other/ Births . 2 1 4	 Unknown Percent 25 10 6
Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29	Births F 227 0 3 0 	Percent 99 0 1 0 ertility Rate 17 47 169	Low Birthweight (under 2,500 gm) Births Percent 7 3.1 Low Birthweight (under 2,500 gm) Births Percent	1st Tri Births 166 .*	Trimest imester Percent 73 Trimest imester Percent . 25 70 67 75	er of First Prenatal 2nd Trimester Births Percent 45 20 * er of First Prenatal 2nd Trimester Births Percent 4 50 2 20 17 27 14 21	Visit Other/ Births 16 . * Visit Other/ Births . 2 1 4	 Unknown Percent 25 10 6 4
Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19 20-24	Births F 227 0 3 0 	Percent 99 0 1 0 ertility Rate 17 47 169	Low Birthweight (under 2,500 gm) Births Percent 7 3.1 Low Birthweight (under 2,500 gm) Births Percent	1st Tri Births 166 * Births	Trimest imester Percent 73 Trimest imester Percent . 25 70 67 75 82	er of First Prenatal 2nd Trimester Births Percent 45 20 * er of First Prenatal 2nd Trimester Births Percent 4 50 2 20 17 27 14 21	Visit Other/ Births 16 . * Visit Other/ Births . 2 1 4	 Unknown Percent 25 10 6
Race of Mother White Black Other Unknown	Births F 227 0 3 0 	Percent 99 0 1 0 ertility Rate 17 47 169	Low Birthweight (under 2,500 gm) Births Percent 7 3.1	1st Tri Births 166 *	Trimest imester Percent 73 Trimest imester Percent . 25 70 67 75 82	er of First Prenatal 2nd Trimester Births Percent 45 20 * * er of First Prenatal 2nd Trimester Births Percent 4 50 2 20 17 27 14 21 5 10	Visit Other/ Births 16 . * Visit Other/ Births . 2 1 4	 Unknown Percent 25 10 6 4
Race of Mother White Black Other Unknown	Births F 227 0 3 0 	Percent 99 0 1 0 Pertility Rate 17 47 169 154 92	Low Birthweight (under 2,500 gm) Births Percent 7 3.1 Low Birthweight (under 2,500 gm) Births Percent	1st Tri Births 166 .*	Trimest imester Percent 73 Trimest imester Percent . 25 70 67 75	er of First Prenatal 2nd Trimester Births Percent 45 20 * * er of First Prenatal 2nd Trimester Births Percent 4 50 2 20 17 27 14 21 5 10	Visit Other/ Births 16 . * Visit Other/ Births . 2 1 4	 Unknown Percent 25 10 6 4
Race of Mother White Black Other Unknown	Births F 227 0 3 0 	Percent 99 0 1 0 ertility Rate 17 47 169 154 92 41	Low Birthweight (under 2,500 gm) Births Percent 7 3.1	1st Tri Births 166 *	Trimest imester Percent 73 Trimest imester Percent . 25 70 67 75 82	er of First Prenatal 2nd Trimester Births Percent 45 20 * * construction er of First Prenatal 2nd Trimester Births Percent 4 50 2 20 17 27 14 21 5 10 4 14	Visit Other/ Births 16 . * Visit Other/ Births . 2 1 4	 Unknown Percent 25 10 6 4
Race of Mother White Black Other Unknown	Births F 227 0 3 0 	Percent 99 0 1 0 ertility Rate 17 47 169 154 92 41 4	Low Birthweight (under 2,500 gm) Births Percent 7 3.1	1st Tri Births 166 *	Trimest imester Percent 73 Trimest imester Percent . 25 70 67 75 82	er of First Prenatal 2nd Trimester Births Percent 45 20 * * construction er of First Prenatal 2nd Trimester Births Percent 4 50 2 20 17 27 14 21 5 10 4 14	Visit Other/ Births 16 . * Visit Other/ Births . 2 1 4	 Unknown Percent 25 10 6 4
Race of Mother White Black Other Unknown	Births F 227 0 3 0 	Percent 99 0 1 0 ertility Rate 17 47 169 154 92 41	Low Birthweight (under 2,500 gm) Births Percent 7 3.1	1st Tri Births 166	Trimest imester Percent 73 Trimest imester Percent . 25 70 67 75 82 86	er of First Prenatal 2nd Trimester Births Percent 45 20 * * construction er of First Prenatal 2nd Trimester Births Percent 4 50 2 20 17 27 14 21 5 10 4 14	Visit Other/ Births 16 . * Visit Other/ Births . 2 1 4 3 4 . * .	Unknown Percent 25 10 6 4 8

MORBIDITY			MO F	RTALITY		
	l Note: Death rates ((excent in	nfant) are	per 100,000 population.	Infant	1
	neonatal and	nostneor	natal death	rates are per 1,000 liv	A hirths	ł
REPORTED* CASES OF SELECTED DISEASES	Perinatal and	d fostiledi	ath rates	are per 1,000 live birth	ne nlue	
I KLIOKILD CASES OF SELECTED DISEASES	Terrifacac and	Patar ut	ro not col	culated for fewer than 2	15 plus	!
	j retat deaths.	. Rates a	are not cat	cutated for rewer than a	deaths.	ļ
N. Dianan	TOTAL DEATHS		227	l C-1+		!
Disease Number	TOTAL DEATHS Crude Death Ra		227	Selected	D	_ !
Campylobacter Enteritis 12	į – Crude Death Ra	ate	1,1/6	Underlying Cause	veatns	Rate
Ulaiulasis \\				Heart Disease (total)		404
Hepatitis Type A 0				Ischemic heart diseas		264 j
Hepatitis Type B** 0	Age		Rate	Cancer (total)	46	238
Hepatitis NANB/C <5	j 1-4	1	•	Trachea/Bronchus/Lung	g 11	.
Legionnaire's <5	j 5-14	•	•			.
j Lyme <5	j 15-19	2	•	Colorectal Female Breast		.* j
Measles 0	j 20-34	1		Cerebrovascular Diseas	se 17	. 1
Meningitis, Aseptic 0	j 35-54	12		Lower Resp. Disease	7	. į
Meningitis, Bacterial 0	i 55-64	16		Pneumonia & Influenza	3	. i
Mumps 0	65-74		1,852	Accidents	7	i
Pertussis 0	75-84	65	5,015	Motor vehicle		i
Salmonellosis 5	85+	95		l Diabetes	10	· i
Shigellosis 0	1	33	17, 133	Infectious & Parasition	5	· ¦
Tuberculosis 0	 			Suicide	2	· ¦
	Infant			54.6.46	=	· ¦
* 2001 provisional data	l Mortality	Deaths	Rate	 * Rate for female brea	st cancer h	l hased
** Includes all positive HBsAg	Total Infant	2		on female popula		Jasea
test results	Mortality Total Infant Neonatal Postneonatal	_	•	I on remare popul	icion.	ł
	Postneonatal	2	•	I I ALCOHOL AND DRUG ABUSI	: AS IINDERIV	ידווכ !
	l Unknown	2	· · ·	OR CONTRIBUTING CAL		
Sexually Transmitted Disease	l Olikilowii	•	•	I OK CONTRIBUTING CAN	JOE OF DEATH	' ¦
Chlamydia Trachomatis 25	ı I Race of Mother			 Alcohol		ł
Genital Herpes <5	l White	2		Attonot Ather Drugs	i	.
Gonorrhea 0	l Black	2		Other Drugs Both Mentioned	1	. !
Syphilis 0	l Other			i both hentroned	1	. !
ι ογρίτετο	l Unknown	•	•	! MOTOR VEHIC	E CDACHEC	- !
	I OHKHOWH	•	•	MOTOR VEHICE	LE CRASHES -	
	 Pirthuoight			l Note: These data are	bacod on lo	scation
IMMUNIZATIONS	Birthweight	1		of crash, not o		
	<1,500 gm 1,500-2,499 gm	i 1	•	l of Crash, Hot C	ni restuence	:
Children in Conden I/ 12 ho	1,500-2,499 giii		•	T f Matau	D D-	
Children in Grades K-12 by	2,500+ gm			Type of Motor Vehicle Crash Total Crashes	Persons Pe	
Compliance Level	Unknown	•	•	Venicle Crash	Injured k	
Compliant 3,968				l lotal Crasnes	184	2
Compliant 3,968 Non-compliant 19	<u> </u>			Total Crashes Alcohol-Related	45	2
Percent Compliant 99.5	Perinatal	B	Б	With Citation:		_
	Mortality	νeaths	Rate	For OWI	26	1
	Total Perinatal	2	•	For Speeding Motorcyclist	27	0
	Neonatal Fetal	<u>:</u>	•	Motorcyclist	2	0
	Fetal	2	•	Bicyclist	4	0
	I			Pedestrian	5	0

					HOSPITA	ALIZATIONS					
D.T.C.T.A.C.T. /		Per	Average		Charge				Average		Charge
DISEASE /		1,000			Per	DISEASE /		1,000		Average	Per
AGE GROUP	Number	Pop	(Days)	Charge	Capita	AGE GROUP	Number	Pop	(Days)	Charge	Capita
Injury-Related	: All					ı Alcohol-Related					
Ťotal	200	10.8	4.4	\$11,914	\$129	i Total	34	1.8	4.2	\$3,497	\$6
<18	15					18-44	15				
<18 18-44 45-64 65+	36	5.7	3 2	\$9,968	\$57	1 45-64	14			•	•
45-64	37	7.9		\$12,340	\$98	Pneumonia and I		•	•	•	•
65+	121	33.4		\$11,567	\$386	Total	79	4.1	5.0	\$8,163	\$33
Injury: Hip F	Fracture	33.4	4.7	#11 ,507	4300	!				ψ 0 , 103	•
Total		1.9	5 3	\$14,429	\$27	<18 45-64 65+	8	•	•	•	•
65+	34	9.4		\$14,185	\$133	1 65+	58	16.0	5.3	\$7,833	\$125
Injury: Poiso		J. 4	3.2	¥14,10J	¥133	Cerebrovascular	Dicasca	10.0	5.5	\$7,033	¥12J
Total	15					Total	58	3.0	4.4	\$8,620	\$26
18-44	7	•	•	•	•	10tat 45-64	10	٥.٥	4.4	₽O,0∠U	⊅∠O
10-44	/	•	•	•	•	1 45-64 1 65+	47	13.0	4.1	\$6,793	\$88
Devebiatric										\$6,793	100
Psychiatric	100	F 3	0 3	¢C 710	¢ > C	Chronic Obstruct				¢C 077	¢1.C
Total	103	5.3	9.3	\$6,718	\$36	Total	50	2.6		\$6,077	\$16
<18	12		6.6	¢ 4 710	¢ 2.0	<18	2 2	•	•		•
18-44	53	8.4	6.6	\$4,710	\$39	18-44	2	•	•		•
45-64	13					1 45-64	10			.	4-6
65+	25	6.9	11.4	\$9,534	\$66	[65+	36	9.9	4.0	\$5,935	\$59
						<18 18-44 45-64 65+ Drug-Related					
Coronary Heart						lotal	11		•	•	•
Total	155	8.0	3.1	\$14,505	\$117	j 18-44	6		•		
45-64	35	7.5		\$18,890	\$142						
65+	98	27.1	3.5	\$14,100	\$381	Total Hospitali:	zations				
						Total	2,397	124.2	4.0	\$8,918	\$1,108
Malignant Neop	lasms (Ca	ncers):	All			Total Hospitali: Total Total <18	298	64.1		\$4,016	\$257
Total 18-44 45-64 65+	100	5.2	6.4	\$18,868	\$98	18-44 45-64 65+	536	84.8	3.0	\$6,240	\$529
18-44	5					1 45-64	417	89.5	4.4	\$12,525	\$1,120
45-64	27	5.8	7.1	\$23,732	\$137	j 65+	1,146	316.4	4.5	\$10,133	\$3,206
65+	68	18.8	6.3	\$17,322	\$325						
Neoplasms: Fe	emale Bre	ast (ra	tes for	female po	opulation)	PRI	EVENTABLE	HOSPIT	ΓALIZATIC	NS*	
Total	7		•			Total <18 18-44 45-64 65+	337	17.5	4.1	\$7,384	\$129
Neoplasms: Co	olo-recta	1				i <18	14	3.0	2.2		\$8
Total	16					i 18-44	44	7.0	3.1	\$6,890	\$48
65+	13			•	•	i 45-64	39	8.4	6.8	\$19,179	\$160
Neoplasms: Lu		•	•	·	-	i 65+	240	66.3	3.9	\$5,830	\$386
Total	8				_	* Hospitalizations	for cond	itions	where ti		
IJCUL	3	•	•	•	•	ambulatory care car	n reduce	the lik	kelihood	of hosni	talization
Diabetes						The definition of	preventah	le hosi	nitalizat	ions in	2001
Total	39 15	2.0	45	\$10,017	\$20	is consistent wit	h the 199	7 defir	nition		
65+	15	2.0		¥10,017	¥20	Please refer to the				this nage	e in the
05.	10	•	•	•	•	1997 report for a	n eynlana	tion of	f the cha	nge made	hetween
						1996 and 1997.	ii explaiia		i ciic ciic	made made	DECMECH
						, 1550 ana 1557.					